

A close-up photograph of a child's hand reaching towards a hot stove burner. The hand is positioned as if about to touch the burner. Two glowing, golden question marks are superimposed on the image, one in the upper right and one in the lower left, symbolizing a question or a warning. The background is slightly blurred, showing the kitchen environment.

# **CORE - INFO: Thermal injuries on children**

The information in this leaflet is based on a systematic review of the quality work in the world literature about scalds and burns sustained by children. This information should help you to know when to be concerned about thermal injuries that may be the result of abuse or neglect.

Full details are available at: [www.core-info.cardiff.ac.uk](http://www.core-info.cardiff.ac.uk)



**Burns include scalds from hot liquids, contact burns from hot objects (such as an iron), burns caused by flames, chemical and electrical burns.**

**Most burns are accidental. A recent UK study estimates that of the children admitted to burns units, 10 per cent had sustained burns that were the result of abuse. Burns due to neglect outnumber intentional burns by a ratio of nine to one.**

**If a doctor suspects that a child has sustained a significant burn they should always seek the attention of a burns specialist.**

## Scalds

### **What do we know about scalds in children?**

A child will be scalded far more quickly than an adult. It takes only one second for a child to sustain a scald when exposed to liquid at 60°C (the average hot water setting in British homes is 55°C). A scald will cause immediate and severe pain.

### **What are the features of accidental scalds in children?**

Accidental scalds usually occur as “spill injuries”, where a toddler reaches out and pulls a hot drink or cooking liquid over themselves. This typically leads to a scald affecting the upper trunk, face and/or arms. The scald usually has an irregular edge, is variable in depth and deepest at the initial point of contact. Children may accidentally scald themselves from hot flowing water, by turning on the hot tap in a sink or bath for example. In this case too, the scald is generally asymmetrical with an irregular edge, and usually involves the limbs.

### **What are the features of intentional scalds in children?**

Most research in this field deals with scalds that require hospital admission.

- Intentional immersion scalds from hot water usually affect the lower limbs with or without the buttocks or perineum. They may also affect both arms and/or both legs in a “glove” or “stocking” manner. Characteristically, there is a clear upper limit to the scalded skin area, which is of uniform depth.

- Intentional immersion scalds may not affect the skin behind the knee, in the crook of the elbow or the central part of the buttocks: the limbs may be bent at the time of immersion or the buttocks may press against the surface of the bath, which is cooler than the liquid the child is immersed in.
- Intentional scalds may be accompanied by other intentional injuries or signs of neglect. Fractures which are not clinically apparent (occult fractures) may be detected on skeletal x-ray images.

We know very little about the incidence and characteristics of less serious intentional scalds.

### **What social/historical features are associated with intentional scalds?**

- Previous child abuse or domestic violence.
- A trigger event such as minor misbehaviour by the child, or a toileting accident.
- Previous burns or repeated previous hospital attendance for accidental injuries.
- A sibling blamed for causing the scald.

## **Burns**

### **What are the features of accidental burns in children?**

Toddlers sustain accidental contact burns when they reach out and grab hot objects. These burns are typically on the palm of the hand, and are often a single burn. Hair straighteners may leave a burn on each side of the hand or ankle. A small child may pull the flex of a hot object, such as an iron, down on themselves. Again, this is likely to cause a single burn on an exposed area of skin, or at most two burn areas. The edge may not be well demarcated if the skin has only had a glancing contact with the object.

### **What are the features of intentional burns in children?**

Intentional contact burns are frequently multiple. They have a clearly demarcated edge and involve unusual areas of the body such as the back, shoulders or buttocks.

Cigarette burns are very commonly described as intentional burns, though there is no study in the current scientific literature which sets out to distinguish between intentional and accidental cigarette burns. Two case reports describe intentional cigarette burns on the hands or wrists of the children. These were circular in shape with a central cratered lesion one to two centimetres in width and of uniform depth. There is no detail in the literature on the features of accidental cigarette burns in children.

## **What other intentional burns and scalds may a child be subjected to?**

There are case reports of small infants who have been burned by boiling oil, put in the microwave, held in flames, had acid poured into their ears or been placed in other caustic substances. These burns are usually very deep and may be extensive, and are found on unusual parts of the body.

## **Traditional remedies using heat**

Intentional burns may be inflicted on a child as part of a cultural belief or traditional remedy. This is particularly common in areas of south-east Asia. Such treatments include moxibustion – burning the moxa herb under a glass over the part of the body that is affected to draw out the illness. Other remedies include cupping, which causes superficial circular burns, usually found on the back, and the rubbing of bruised skin with a hot, freshly boiled egg, which can cause a superficial burn.

# **Conditions that mimic intentional burns**

## **Accidental caustic burns**

These may occur where the parents are unaware of the cause. One example was a child who had an extensive caustic burn to the buttocks. On examining the child's clothing and car seat, it became apparent that it had been caused by leaking batteries. In these circumstances, the caustic material may not cause pain immediately. It is essential with unexplained burns to examine the child's clothing and establish what happened over the previous 24 hours.

## **Skin conditions**

Many skin conditions may mimic burns. These include:

- Photodermatitis – a blistering skin condition caused by a combination of a chemical and sunlight. This can occur where perfume or plant oils, such as those found in citrus fruit, wild parsnip and other wild plants are present on the skin and the child is subsequently exposed to sunlight. Gradual reddening of the skin occurs, followed by a blistering rash over the affected area. This will often appear out of the blue, and it is essential to take a detailed history.
- Skin diseases such as impetigo, where the rash is usually scaly (unlike a burn) and may spread to other areas of the skin, particularly where two areas of skin touch one another – eg, the inside of the arm and the side of the chest.
- Hereditary skin disorders such as congenital curvilinear hyperpigmentation, causing a loop-like raised area of skin on the back of the calves.
- Hypersensitivity reactions to laxatives or, for example, cetirime shampoo.

**For further information about other CORE-INFO leaflets visit:**

[www.nspcc.org.uk/learningresources](http://www.nspcc.org.uk/learningresources)

## **Factors to consider when undertaking an assessment**

### **Seeing the child**

- Does the description of how the burn was caused fit with this child's stage of development?
- Does the pattern of the burn fit with the description of cause given?
- Is the description of how this burn occurred consistent with the environment where it took place?
- Do the clinical features of the burn fit with the mechanism described?

### **Seeing the home**

- If the injury is alleged to be a hot water scald, it is helpful to record the precise temperature of the domestic water supply and of the hot water at the site of the incident.
- If the child is said to have climbed into a bath or sink and turned the tap on, look at the room layout. Could the child have climbed into the bath? If so, could they have come into contact with the hot water as described?
- If the burn was a contact burn, is there a household object such as a hairdryer or lighter which would match that burn?

**The information in this leaflet was current in October 2006. This is a collaborative project between the Department of Child Health, Cardiff University and the NSPCC.**

**Information about this and the project's other systematic reviews can be found at the CORE-INFO website: [www.core-info.cardiff.ac.uk](http://www.core-info.cardiff.ac.uk)**

---

If you are worried about a child who is at risk of abuse or in need of help or if you are a child who needs help, the NSPCC Child Protection Helpline is here to help, 24 hours a day, seven days a week.

- Call: **0808 800 5000** to speak to a helpline adviser.
  - If you are deaf or hard of hearing, you can call our textphone service on: **0800 056 0566.**
  - A bilingual Welsh/English Child Protection Helpline is available on: **0808 100 2524.** Open Monday to Friday from 10am to 6pm.
  - An Asian Child Protection Helpline is available in:  
Bengali/Sylehti **0800 096 7714**  
Gujarati **0800 096 7715**  
Hindi **0800 096 7716**  
Punjabi **0800 096 7717**  
Urdu **0800 096 7718.**  
Open Monday to Friday from 10am to 6pm.
- 

You can order up to five free copies of this leaflet by sending an A5 self-addressed envelope plus £1.30 in stamps to NSPCC Publications. For more than five copies, the price is 20p per copy (including postage and packing).

NSPCC Publications:  
Weston House  
42 Curtain Road  
London  
EC2A 3NH

Tel: 020 7825 7422 Fax: 020 7825 2763  
You can order online at: [www.nspcc.org.uk/inform](http://www.nspcc.org.uk/inform)

The leaflet can also be downloaded from NSPCC  
inform: [www.nspcc.org.uk/inform](http://www.nspcc.org.uk/inform)